



EUROCAL



EUR-CAL Ambassador
Standard floor-standing boilers

50/70 Boiler	
Height	857mm
Depth	590mm
Width	420mm
Water connections in BSP	4x1
Conventional flue diameter	100-125
Boiler weight in(kg)	100.5

70/90 Boiler	
Height	857mm
Depth	590mm
Width	420mm
Water connections in BSP	4x1
Conventional flue diameter	100-125
Boiler weight in(kg)	100.5

General Data	
Electrical supply	240v~50Hz
Oil supply connection	1/4" BSP
Fuel	28 second or 35 second
High limit stat	manual reset
Maximum control thermostat setting	85°C
Maximum operating pressure	3 Bar

quiet and unassuming

Superbly stylish and oh so quiet the unassuming Ambassador can be quickly and easily installed in any kitchen or utility room. The multi-directional push fit round telescopic flue allows it to be easily sited under any fixed work surface.

- EUROCAL round telescopic flues can be fitted to both models
- Both models are suitable for open vented or sealed system installation
- Its white stylish case is easy to clean and looks good in any kitchen
- Boiler offers front access for ease of siting, servicing and maintenance
- Pre-wired for ease of installation
- SEDBUK approved Part J & L compliant
- Reliable, efficient proven Sterling burner



Dual Thermostat



Snorkel Adaptor



Sterling Burner

a flue that's perfect for you

To ensure optimum boiler performance and extremely low running noise, EUROCAL complement their extensive range of multi-directional flued oil boilers with a very simple push fit round flue system.

All internal flue sections have a white enamelled gloss finish. Both horizontal and vertical flue terminals are pleasing to the eye; the horizontal having a polished stainless steel finish, whilst the vertical terminal is black.

They are also exceptionally easy on the installer, as all that is needed to install them is a standard-size core drill.

Kit 1 Horizontal low level telescopic flue kit
can be used in conjunction with kits 3 & 6



Kit 6 950mm Extension flue kit
can be used in conjunction with kits 1, 4, 5, 6 & 8



Kit 3 300 Extension flue kit
can be used in conjunction with kits 1, 4, 5, 6 & 8





Kit 5 vertical roof terminal flue kit
can be used in conjunction with kits 3, 6 & 8



Kit 4 High level terminal flue kit
can be used in conjunction with kits 3 & 6

Kit 8 2x45° elbows
can be used in conjunction with kits 1, 3, 5, 6 & 8



TURKINGTON ENGINEERING LIMITED

Unit 12, Whitegate Industrial Estate
Wrexham, LL13 8UG
Tel: 01978 363048 or 01978 363049
Fax: 01978 363046

For further details about our training courses contact:

EUROCAL Boilers on Wrexham 01978 363048 or our trainers direct at:

EUROCAL Oil Boiler Training Centre
Unit 2, Century Buildings, Mansfield, Nottinghamshire, NG18 5SF
Telephone: 01623 629200/621326.



Your local stockist

Turkington Engineering have a continuing research and development programme which occasionally necessitates changes to specifications herein. It is, therefore, essential that instructions issued with each individual appliance are carefully read prior to installation and strictly adhered to during installation. The statutory rights of the customer are not affected.